M2A CAPSULE ENDOSCOPY PRE-OP INSTRUCTIONS PLEASE READ ALL INSTRUCTIONS

DAY BEFORE PROCEDURE:

- You may eat a normal diet until noon. From noon to 10:00 PM you may have <u>clear liquids only</u>. NO red Jell-O, popsicles, Gatorade, fruit punch etc. Take any medications you are prescribed to take by 10:00 PM.
- 2. Nothing to eat or drink after 10:00 PM until the procedure. No smoking after midnight. Do not take any medication the morning of your procedure.
- 3. Medications:
 - Do not take any iron or multi vitamins that contain iron for **4 days** prior to the procedure.
 - Do not take Carafate, Mylanta or Maalox for 24 hours prior to the procedure.
 - Purchase 1 bottle of **Magnesium Citrate** at any drug store. **Drink** the entire bottle at **7:00 PM** the night before the procedure. (again, NO red flavor)
- 4. Hairy men should shave their abdomen at home, from below the nipple line to the groin.
- 5. You should wear a button down shirt the day of your procedure.

DAY OF PROCEDURE:

- 1. Do not take any medications the morning of your procedure. You will be able to resume your medications and clear liquids two hours after swallowing the pill cam.
- 2. You will be able to resume a normal diet of solid foods four hours after swallowing the pill cam.
- 3. If you are more than 15 minutes late, the procedure will not be done.
- 4. You may drive and go about your daily activities after leaving our office. You should however avoid metal detectors.

HOSPITAL:	
DATE:	
TIME OF ARRIVAL:	
TIME OF PROCEDURE:	

If you have any questions, please call 919-881-9999.